

**Help us in our charitable endeavors:**

Alpatronix donates \$1 to charity for every review you leave for our products. We don't want to influence your review, we just think every business must do some good in the world. Help us make the world a better place

AND help your fellow customers  
by giving us your unbiased feedback.

As always, let us know if we can ever help in any way.

Thank you for being a contributing  
citizen of this world.



**ASPCA**

**unicef**



User Manual for  
PX100 Portable Mini Charger  
for Portable Mobile Devices



Alpatronix is the trademark of Saritek Technical Solutions Inc. All other brands are registered trademarks of their respective owners.

## Technical Specifications

Input: DC 5V - 2.4A

Output: DC 5V - 2.4A Max

Battery Capacity: 5000mAh/18.5Wh

Product Compatibility:

Lightning USB Devices

Battery Type: Li-Ion

Dimensions: 3.11 x 2.05 x 1.02 in

79 x 52 x 26 mm


Weight: 3.25 oz (92g)

## Compatible Models

All iPhone, iPad, and airpods models with Lightning USB input.

## Package Contents

- Alpatronix PX100 Portable Mini Charger
- Protective Carrying Bag
- User Manual



## To Charge your Alpatronix Mini Charger

- Insert a USB Wall Adapter (Not Included) into the wall Power outlet.
- Connect the Wall Adapter to your Mini Charger using the original Lightning USB cable.
- When the Screen shows "100", your Mini Charger is fully charged.




## Important Safety and Charging Information

- Read all instructions and warnings prior to use. Alpatronix is not responsible for improper use of this product. Improper use may result in product damage, excess heat, toxic fumes, fire, or explosions, which may cause you harm.
- Only use your original iPhone Charging Cable (Not included) to charge the Mini Charger.
- Do not leave this charger unattended while operating. Avoid operation by children, infants, or toddlers.
- You can charge this device and your iPhone at the same time while connected to each other. The Mini Charger is programmed to let your iPhone charge first, then it'll charge itself.
- It's recommended to fully charge the Mini Charger before first use. If storing for a long period of time, it's recommended to keep the battery at about 50%. Charge first after storage for a long time.
- To ensure long battery life, charge this device at least once every 3 months.
- Avoid contact with liquids, moisture, steam, sweat, or any other form of water.
- Avoid bumps, drops, punctures, or any other forces.
- Avoid extreme temperatures such as freezing temperatures or 100 degrees.
- Avoid direct exposure to sunlight, UV, or any magnetic fields.
- Do not disassemble or repair this device.
- Minors must use this device under adult supervision.
- Do not dispose in trash. Take all batteries to your area's Household Hazardous Waste Collection Facility.

## To Start/Stop Charging your iPhone with the Mini Charger

- Click the power button to activate the Mini Charger and display the remaining power.
- Insert the Mini Charger into the lightning port of your iPhone.
- Double click the power button to turn off the output, and/or power level display.



## Warranty Information

Alpatronix offers an Iron-Clad 1-year limited warranty that covers you against all defects in material and workmanship. To register your product, visit

[www.alpatronix.com/register](http://www.alpatronix.com/register)

In case of any problems or questions, please contact us Monday – Friday, 8am – 4pm, Pacific Time.

Alpatronix warranty is only valid within the United States, and for purchases from authorized retailers.

(888) 407 – 7515

[support@alpatronix.com](mailto:support@alpatronix.com)

PO Box 68030, Anaheim, CA 92817